



Protect What Matters!

Headquarters:

Changzhou Kent Plastic Packaging Co., Ltd.
Daming Road, Heping Industrial Park, Tianning District, Changzhou, Jiangsu, China 213000

Branch Factory I:

Jiangyin HYD Packaging Technology Co., Ltd.
216 Huangshi Road, Jiangyin City, Wuxi, Jiangsu, China 214445

Branch Factory II:

Changsha Kenda Packaging Materials Co., Ltd.
8 Hongqi Road, Yongan Town, Liuyang City, Changsha, Hunan, China 410323

www.kentpkg.com

info@kentpkg.com

Changzhou Kent Plastic Packaging Co., Ltd.



CHANGZHOU KENT PLASTIC PACKAGING CO., LTD.

One-Stop Protective Packaging Solution

ABOUT US

■ Introduction

Founded in 1997 by Mr. Shen Xiaoming, Changzhou Kent Plastic Packaging Co., Ltd. is an enterprise specializing in the R&D, production and sales of plastic and paper products, with a 20,000-sqm headquarters in Changzhou and a 50,000-sqm factory in Wuxi. It has invested in and partnered with more than 10 manufacturing plants, operating over 100 production lines, offering a wide range of plastic and paper products and base materials, including cushioning packaging materials, biodegradable packaging materials, and functional packaging materials.

Driven by Kent's innovative culture, its independent R&D team has obtained numerous patents, leveraging rich experience, advanced technology, and a spirit of unity and cooperation. It has established long-term partnerships with many domestic universities, staying at the forefront of developments in the latest industry developments in new raw material technologies to constantly improve its product variety and performance.

Guided by ethical leadership, Kent's employees embrace a culture of honesty, integrity, and responsibility. Since its founding, the company has adhered to the value of "Quality, Customer, Integrity," and consistently strives to meet every customer need. The company always strives to meet every possible customer need. All products are manufactured under professional operational guidance, undergo standardized inspection procedures, and have obtained CE, ASTM, SGS, REACH, RoHS, GRS, FSC, OK Compost, and other professional certifications.

Over the past 30+ years, Kent has earned the trust and loyalty of a broad customer base. With the principle of "Empowering customers to achieve success," Kent is committed to becoming your most reliable long-term partner. We sincerely welcome cooperation with enterprises worldwide to achieve a win-win outcome.

■ Certification



■ Culture

Our Responsibility: Committed to providing customers with the most suitable packaging solutions!

Our Vision: To be the global leader in the protective packaging industry!

Our Principle: Empowering customers to achieve success!

Our Value: Quality, Customer, and Integrity!

Our Slogan: Protect What Matters!

■ Development History

January 1997

Changzhou Zhonglou District Wuxing Plastic Factory was founded by Mr. Shen Xiaoming.

May 2002

Our plant in Changzhou Zhonglou District was built.

August 2004

Manual-use stretch film production lines commenced operation.

August 2005

We passed ISO 9001:2000 quality management system certification.

September 2005

Changzhou Kent Plastic Packaging Co., Ltd. was established.

January 2008

Our Changzhou headquarters plant was built, covering an area of 20,000 square meters.

March 2010

Bubble film lamination production lines commenced operation.

March 2011

HDPE and LDPE film blowing production lines commenced operation.

July 2012

Machine-use stretch film production lines commenced operation.

January 2014

Single-color, two-color, and multi-color printing production lines commenced operation.

March 2015

Our Changsha subsidiary plant was built, covering an area of 10,000 square meters.

November 2015

We passed ISO 9001:2015 quality management system certification.

January 2016

Bubble mailer production lines commenced operation.

January 2017

We became a certified supplier for SF Express.

March 2018

Air cushion film production lines commenced operation.

January 2020

Air column film production lines commenced operation.

May 2022

Paper packaging material production lines commenced operation.

September 2023

Our Wuxi subsidiary plant was built, covering an area of 50,000 square meters.

■ Factory Tour




BUBBLE FILM BAG

Type	Material	Color	Description
Regular	PE	Transparent/Custom	Basic cushion and protection for general packaging
Biodegradable	PBAT, PLA	White	Eco-friendly choice for sustainable packaging
Anti-Static	PE, ESD MB	Pink/Custom	ESD for sensitive electronic components packaging
Anti-UV	PE, UV MB	Transparent/Custom	UV resistant for outdoor and long-term storage packaging
Flame Retardant	PE, FR MB	Transparent/Custom	Protection from fire for safety packaging
Anti-Corrosive	PE, VCI	Blue/Custom	Protection from rust and degradation for metal products
Laminated	PE, Custom	Custom	Laminated to provide printing or other packaging needs


*Max Width: no limit

*Max Length: no limit

*Max Printing Color: 7



Structure (Optional)



Closure (Customizable)



Open Top

Adhesive Tape

Ziplock



Further customization details available in Bubble Film Wrap section (Page 6)


BUBBLE FILM WRAP

Type	Material	Color	Description
Regular	PE	Transparent/Custom	Basic cushion and protection for general packaging
Biodegradable	PBAT, PLA	White	Compostable choice for sustainable packaging
Anti-Static	PE, ESD MB	Pink/Custom	ESD for sensitive electronic components packaging
UV-Resistant	PE, UV MB	Transparent/Custom	UV resistant for outdoor and long-term storage packaging
Flame Retardant	PE, FR MB	Transparent/Custom	Protection from fire for safety packaging
Anti-Corrosive	PE, VCI MB	Blue/Custom	Protection from rust and degradation for metal products
Aluminum Foil Laminated	PE, AL	Silver/Custom	Superior heat insulation performance
VMPET Laminated	PE, VMPET	Silver/Custom	Moderate heat insulation performance
EPE Foam Laminated	PE	White/Custom	Enhanced cushioning and shock absorption
Kraft Paper Laminated	PE, Paper	Yellow/Custom	Elegant and eco-friendly appearance
Woven Laminated	PE, PP	White/Custom	Superior durability and strength for heavy-duty packaging


Customization Available

*Max Width: 310 cm

*Max Printing Color: 7



Structure (Optional)



Lamination (Customizable)




Functional Properties (Optional)



Bubble Shape (Customizable)



Bubble Thickness (Customizable)



BUBBLE MAILERS

Type	Material	Weight (gsm)	Color	Description
Poly Bubble Mailer	PE, PP	72, 83, 100, 133...	White/Black/Custom	General-purpose shipping and E-commerce Packaging
Kraft Bubble Mailer	PE, Paper	150, 220...	Brown/Yellow/Custom	Elegant and eco-friendly appearance
Metallic Bubble Mailer	PE, VMPET	180, 210...	Silver/Laser Silver/Custom	Superior protection and stylish appearance
BIO Poly Bubble Mailer	PBAT, PLA	70, 100, 130...	White	Compostable choice for sustainable packaging
BIO Kraft Bubble Mailer	PBAT, PLA, Paper	150	Brown/Yellow/Custom	Compostable choice and elegant appearance
Anti-Static Bubble Mailer	PE, ESD MB	100, 130, 160...	Pink/Custom	ESD for sensitive electronic components packaging
Customization Available				

*Max Width: 130 cm

*Max Length (including flap): 100 cm

*Max Printing Color: 7



Functional Properties (Optional)



Biodegradable



Anti-Corrosive



Anti-Static



Flame Retardant



UV Resistant



Thermal Insulation

Bubble Thickness (Customizable)



1.5mm



3mm




3.5mm




4mm


Side Sealing (Customizable)



Flat Cut



Wave Cut




Dot Cut

Closure (Customizable)



Adhesive Tape



Double Tape



Tearing Strip



Zipper



Button



Velcro

AIR CUSHION FILM

Type	Material	Thickness (µm)	Color	Description
HDPE	HDPE	15-30	Translucent/Custom	Basic strength and protection
LDPE	LDPE	20-30	Transparent/Custom	High strength and protection
Nylon	LDPE, PA	25-40	Transparent/Custom	Superior strength and protection
Biodegradable	PBAT, PLA	20-30	White	Compostable choice for sustainable packaging
Paper	Paper, PLA	45	Brown/Custom	Compostable choice and elegant appearance
Anti-Static	HDPE, ESD MB	20-30	Pink/Custom	ESD for sensitive electronic components packaging
Thermal	HDPE, VMPET	27-42	Silver/Custom	Superior heat insulation performance and premium protection

Customization Available


*Max Width: 80 cm

*Max Printing Color: 2



BQJ010 Air Cushion Film Machine Economic Class

Max Speed: 16 m/min
 Input: AC 110-220V, 50/60Hz, 150W
 Size: 40*37*30 cm
 N.W.: 9 KG
 Applicable: Air Bubble Wrap/Air Pillow/Air Bubble Bag
 Control Panel: Button



BQJ035 Air Cushion Film Machine Industrial Class

Max Speed: 28 m/min
 Input: AC 110-220V, 50/60Hz, 450W
 Size: 57*40*33 cm
 N.W.: 18 KG
 Applicable: Air Bubble Wrap/Air Pillow/Air Bubble Bag
 Control Panel: Button




BQJ035T Air Cushion Film Machine Industrial Class

Max Speed: 28 m/min
 Input: AC 110-220V, 50/60Hz, 450W
 Size: 57*40*35 cm
 N.W.: 18 KG
 Applicable: Air Bubble Wrap/Air Pillow/Air Bubble Bag
 Control Panel: Touch Screen



Wrap & Bag Shape (Customizable)




400*320 mm, 40mm ball


400*300 mm, 30mm ball

400*300 mm, 25mm ball

400*300 mm, 22mm ball




400*160 mm, 80mm tube



400*200 mm, 40mm wave

Pillow Shape (Customizable)



200x70mm

200x100mm

200x200mm

200x300mm

250x200mm

300x300mm

AIR COLUMN FILM

Type	Material	Thickness (µm)	Height (mm)	Color	Description
Wrap	LDPE, PA	40-110	150-1200	Translucent/Custom	General packaging
Bag (Q/U/L)	LDPE, PA	40-110	150-1200	Transparent/Custom	Custom application packaging
BIO Wrap	PBAT, PLA	60-80	300-1200	White	Compostable general packaging
BIO Bag (Q/U/L)	PBAT, PLA	60-80	300-1200	White	Compostable custom packaging
Customization Available					

*Compatible Air Filling Equipment:



CQJ015 Air Column Film Machine

Max Speed: 15 m/min

Input: AC 110-220V, 50/60Hz, 320W

Size: 82*30*60 cm

Net Weight.: 21 KG

Applicable: Air Column Wrap/Air Column Bag (Q/U/L)



CQJ020 Air Column Film Machine

Max Speed: 20 m/min

Input: AC 110-220V, 50/60Hz, 320W


Size: 93*34*67 cm

Net Weight: 27 KG

Applicable: Air Column Wrap/Air Column Bag (Q/U/L)




Column Width (Customizable)



Nozzle (Optional)

Tearing Line (Optional)



Without nozzle

With nozzle

Without tearing line

With tearing line

PAPER BAGS



Type	Weight (gsm)	Color	Description
Glassine Paper Bag	35-100	White/Yellow/Custom	Compostable choice for lightweight items
Honeycomb Paper Bag	210-320	Brown/White/Black/Custom	Compostable choice with superior shock protection
Bubble Paper Bag	140-240	Brown/White/Black/Custom	Compostable choice with both premium protection and appearance
Customization Available			

■ Glassine Paper Bag



Transparency (Customizable)




High (35 gsm)

Medium (40 gsm)

Low (60 gsm)

Vent (Optional)



No Vent


Side Vent

Face Vent


■ Honeycomb Paper Bag



Structure (Optional)



Single Honeycomb (3-Layer)



Double Honeycomb (4-Layer)

■ Bubble Paper Bag




Structure (Customizable)




2-layer



3-layer



Small Bubble



Large Bubble

Size (Customizable)

Paper Bag Closure (Customizable)



Adhesive Tape



Tearing Strip



Double Tape

PAPER CUSHION SYSTEM



Honeycomb Paper Sleeve




Color: Brown/White/Black/Red/Custom
 Width: 9-20 mm
 Length: 60-900 mm
 Layers: 90 (Customizable between 70-400)
 Honeycomb Size (mm): 16/19/22/Custom
 Stretched Diameter: 80-700 mm
 Applications: Bottles, cosmetics, homeware, etc

Honeycomb Paper Wrap



Color: Brown/White/Black/Pink/Custom
 Width (mm): 30/38/50/Custom
 Length (mm): 10/50/100/250/Custom
 Paper Weight (gsm): 70/80/Custom
 Applications: Bottles, cosmetics, homeware, etc



Honeycomb Paper Box Dispenser



Box Dispenser Liner-Free

Honeycomb size: 50 cm*80 m
 Honeycomb weight: 80 gsm
 Box Size: 56.5*16*16 cm
 N.W./G.W.: 3.2kg/4.4kg



Box Dispenser with Liner

Honeycomb/Liner size: 50 cm*80 m/30cm*135 m
 Honeycomb/Liner weight: 80 gsm/20 gsm
 Box Size: 56.5*23.5*16 cm
 N.W./G.W.: 4.1kg/5.2kg

Honeycomb Paper Dispenser Machine CE



ZJHM1 Manual Dispenser

Operation Mode: Manual
 Consumable: Honeycomb Paper
 Max Honeycomb Paper Width: 500 mm
 Max Honeycomb Paper Length: 250 m
 Size: 73*30*20 cm
 Net Weight: 3.3 kg



ZJHM2 Manual Dispenser

Operation Mode: Manual
 Consumable: Honeycomb Paper/Liner Paper
 Max Honeycomb Paper Width: 500 mm
 Max Honeycomb Paper Length: 250 m
 Size: 73*42*42 cm
 Net Weight: 5.6 kg



ZJHE1 Electrical Dispenser

Max Speed: 21 m/min (adjustable)
 Input: AC 110-220 V, 50/60 Hz, 40 W
 Operation Mode: Auto/Time-Controlled
 Consumable: Honeycomb Paper/Liner Paper
 Max Honeycomb Paper Width: 500 mm
 Max Honeycomb Paper Length: 250 m
 Size: 73*42*35 cm
 Net Weight: 20 kg

Consumables (Customizable)



PAPER CUSHION SYSTEM



■ Bubble Paper Wrap



Color: Brown/White/Black/Pink/Custom
 Max Width: 50 mm (Customizable)
 Bubble Size (Diameter*Height): 12*5 mm
 Paper Weight: 80 gsm/Custom
 Package Type: Rolls/Sheets
 Applications: Bottles, cosmetics, homeware, etc

■ Bubble Paper Machine



ZJB300A

Max Speed: 10 m/min
 Input: AC110-220 V, 50/60 Hz, 120 W
 Max Paper Width: 300 mm
 Size: 45*26*27 cm
 Net Weight: 24.3 kg



ZJB500A

Max Speed: 10 m/min
 Input: AC110-220 V, 50/60 Hz, 150 W
 Max Paper Width: 500 mm
 Size: 70*43*25 cm
 Net Weight: 31 kg

■ Paper Cushion Machine



ZJCEC760

Max Speed: 18 m/min
 Input: AC100/240 V, 50/60 Hz, 400 W
 Max Paper Width: 760 mm
 Applicable Paper Weight: 50-80 gsm
 Paper Roll Layer: 1/2
 Size: 85*70*170 cm
 Net Weight: 120 kg

■ Cardboard Shredder Machine




ZJS325/ZJS425/ZJS500 Table Use

Max Speed: 3 m/min
 Input: AC110-220 V, 50/60 Hz, 200/400 W
 Cutting Width: 325/425/500 mm
 Applicable Paper: 3/5-Ply Corrugated, A4
 Max Paper Thickness: 7 mm
 Size: 45/55/65*26*27 cm
 Net Weight: 28/33/38 kg



ZJS500X1/ZJS500X2 Industrial Use

Max Speed: 12 m/min
 Input: AC110-220 V, 50/60 Hz, 1500/2200 W
 Cutting Width: 500 mm
 Applicable Paper: 3/5-Ply Corrugated, A4
 Max Paper Thickness: 10/20 mm
 Size: 70*48*100/78*48*103 cm
 Net Weight: 168/200 kg



Convert Waste Carton Paper Into Void-fill Packaging